

Bibliography

- [1] "Mathieu Functions," p.722 in **Handbook of Mathematical Functions**, edited by M. Abramowitz and I.A. Stegun (Dover, New York, 1970).
- [2] Barut, A.O., and J.P. Dowling, "Quantum Electrodynamics Based on Self-Field, Without Second Quantization: Apparatus Dependent Contributions to $g - 2$ ", *Phys. Rev. A* **39**, 2796 (1989).
- [3] It is customary in microwave electronics to present information in the form of equivalent circuits. See for example Beringer, R., "Resonant Cavities as Microwave Circuit Elements", in **Principles of Microwave Circuits** pp. 207- 239, edited by C.G. Montgomery, R.H. Dicke, and E.M. Purcell (MIT Rad. Lab. Series) (McGraw, NY, 1948).
- [4] Boulware, D.G., and L.S. Brown, "Comment on 'Mass and Anomalous Magnetic Moment of an Electron Between Two Conducting Plates' ", *Phys. Rev. Lett.* **55**, 133 (1985).
- [5] Boulware, D.G., L.S. Brown and T. Lee, "Apparatus-dependent contributions to $g - 2$?", *Phys. Rev. D* **32**, 729 (1985).
- [6] Brown, L.S., "Line Shape for a Precise Measurement of the Electron's Magnetic Moment", *Phys. Rev. Lett.* **52**, 2013 (1984).
- [7] Brown L.S., "Geonium Lineshape", *Annals of Phys.* **159**, 62 (1985).
- [8] Brown, L.S., G. Gabrielse, K. Helmersen and J. Tan, "Cyclotron Motion in a Microwave Cavity: Possible Shifts of the Measured Electron g Factor", *Phys.*

- [9] Brown, L.S., G. Gabrielse, K. Helmerson, J. Tan, "Cyclotron Motion in a Microwave Cavity: Lifetime and Frequency Shifts", *Phys. Rev. A* **32**, 3204 (1985).
- [10] See review by Brown, L.S., and G. Gabrielse, "Geonium Theory: Physics of an Electron or Ion in a Penning Trap", *Rev. Mod. Phys.* **58**, 233 (1986).
- [11] Brown, L.S., K. Helmerson and J. Tan, "Cyclotron Motion in a Spherical Microwave Cavity", *Phys. Rev. A* **34**, 2638 (1986).
- [12] Brown, L.S., G. Gabrielse, J. Tan and K.C.D. Chan, "Cyclotron Motion in a Penning-trap Microwave Cavity", *Phys. Rev. A* **37**, 4163 (1988).
- [13] This result has been confirmed by L.S. Brown (private communication) for the case of a cylindrical, uniform current sheet using the line-integral of the vector potential around the solenoid circuit to define the flux produced by the solenoid itself.
- [14] Conti, R., D. Newman, A. Rich and E. Sweetman, "Experimental Determinations of the Anomalous Magnetic Moments of the Free Leptons", p. 207, in **Precision Measurements and Fundamental Constants II**, edited by B.N. Taylor and W.D. Phillips (Nat'l. Bur. Stand. (U.S.) Spec. Publ. 617, 1984).
- [15] Daido, H., "Lower Critical Dimension for Populations of Oscillators with Randomly Distributed Frequencies: A Renormalization-Group Analysis," *Phys. Rev. Lett.* **61**, 231 (1988).
- [16] See, for example, Davidson, R.C., **Physics of Non-neutral Plasma**, (Addison Wesley, Redwood, 1990), p.65; and references therein.
- [17] Degiorgio, V., "The laser instability," *Physics Today*, October 1976, page 42.

- [18] Dehmelt, H.G., and F.L. Walls, " 'Bolometric' Technique for the RF Spectroscopy of Stored Ions," *Phys. Rev. Lett.* **21**, 127 (1968).
- [19] Dehmelt, H.G., and P. Ekstrom, "Proposed $g-2/\delta\omega_z$ Experiment on a Single Stored Electron or Positron," *Bull. Am. Phys. Soc.*, **18**, 727 (1973).
- [20] Dehmelt, H.G., "g-Factor of Electron Centered in a Symmetric Cavity", *Proc. Nat. Acad. Sci. U.S.A.* **81**, 8037 (1984). See also the erratum in *Proc. Nat. Acad. Sci. U.S.A.* **82**, 6366 (1985).
- [21] Diedrich, F., E. Peik, J. Chen, W. Quint, and H. Walther, "Observation of a Phase Transition of Stored Laser-cooled Ions," *Phys. Rev. Lett.* **59**, 2931 (1987).
- [22] Cavity-like effects were observed earlier with fatty acid molecules near the surface of a conducting plate. K.H. Drexhage, "Interaction of Light with Monomolecular Dye Layers", 165, *Prog. in Optics XII*, 165 (1974).
- [23] Dubin, D., "Theory of Electrostatic Fluid Modes in a Cold Spheroidal Non-Neutral Plasma," *Phys. Rev. Lett.* **66**, 2076 (1991).
- [24] Dutta, A., and C.N. Archie, "High Field Nuclear Magnetometer," *Rev. Sci. Instrum.* **58**, 628 (1987)
- [25] Fabiny, L., and K. Wiesenfeld, "Clustering Behavior of Oscillator Arrays," *Phys. Rev. A* **43**, 2640 (1991).
- [26] Fishbach, E., and N. Nakagawa, "Is $(g_e - 2)$ Apparatus Dependent?", *Phys. Lett.* **149 B**, 504 (1984).
- [27] Fishbach, E., and N. Nakagawa, "Apparatus-Dependent Contributions to $g-2$ and Other Phenomena", *Phys. Rev. D* **30**, 2356 (1984).
- [28] Gabrielse, G., "Relaxation calculation of the electrostatic properties of compensated Penning traps with hyperbolic electrodes," *Phys. Rev. A* **27**, 2277 (1983)

- [29] Gabrielse, G., "Detection, damping, and translating the center of the axial oscillation of a charged particle in a Penning trap with hyperbolic electrodes," *Phys. Rev. A* **29**,462 (1984).
- [30] Gabrielse, G., and F.C. MacKintosh, "Cylindrical Penning Traps with Orthogonalized Anharmonicity Compensation", *Int. J. of Mass Spec. and Ion Proc.* **57**, 1 (1984).
- [31] Gabrielse, G., H. Dehmelt and W. Kells, "Observation of a Relativistic, Bistable Hysteresis in the Cyclotron Motion of a Single Electron", *Phys. Rev. Lett.* **54**. 537 (1985).
- [32] Gabrielse, G., and H.G. Dehmelt, "Observation of Inhibited Spontaneous Emission", *Phys. Rev. Lett.* **55**, 67 (1985).
- [33] Gabrielse, G., and J. Tan, "Self-shielding Superconducting Solenoid Systems," *J. Appl. Phys.* **63**, 5143 (1988); U.S. Patent # 4,974,113.
- [34] Gabrielse, G., L. Haarsma and S.L. Rolston, "Open-endcap Penning Traps for Precision Experiments", *Intl. J. of Mass Spec. and Ion Proc.* **88**, 319 (1989).
- [35] Gabrielse, G., X. Fei, L.A. Orozco, R.L. Tjoelker, J. Haas, H. Kalinowsky, T.A. Trainor, and W. Kells, "Cooling and slowing of trapped antiprotons below 100meV," *Phys. Rev. Lett.* **63**, 1360 (1989).
- [36] Gabrielse, G., X. Fei, L. Orozco, R. Tjoelker, J. Haas, H. Kalinowsky, T. Trainor, W. Kells, "Thousandfold improvement in the measured antiproton mass," *Phys. Rev. Lett.* **65**, 1317 (1990).
- [37] Gabrielse, G., J. Tan, and L.S. Brown, "Cavity Shifts of Measured Electron Magnetic Moments," in *Quantum Electrodynamics*, p.389 ff, edited by T. Kinoshita (World, Singapore, 1990).
- [38] Gabrielse, G., J. Tan, P. Clateman, L.A. Orozco, S.L. Rolston, C.H. Tseng, and R.L. Tjoelker, "A Superconducting Solenoid System which Cancels Fluc-

- tuations in the Ambient Magnetic Field," *J. Magnetic Resonance* **91**, 564 (1991).
- [39] Garrett, M.W., "Calculation of Fields, Forces, and Mutual Inductances of Current Systems by Elliptic Integrals," *J. Appl. Phys.* **34**, 2567 (1963)
- [40] Gilbert, S.L., J.J. Bollinger and D.J. Wineland, "Shell-Structure Phase of Magnetically Confined Strongly Coupled Plasmas," *Phys. Rev. Lett.* **60**, 2022 (1988).
- [41] Grover, F.W., **Inductance Calculations**, (Van Nostrand, New York, 1946).
- [42] Haken, H., "Cooperative phenomena in systems far from thermal equilibrium and in nonphysical systems," *Rev. Mod. Phys.* **47**, 67 (1975).
- [43] Hansen, J.B., and P.E. Lindelof, "Static and dynamic interactions between Josephson junctions," *Rev. Mod. Phys.* **56**, 431 (1984).
- [44] Reviewed by Haroche, S., and D. Kleppner, "Cavity Quantum Electrodynamics", *Physics Today*, Jan. 1989, p. 24.
- [45] Reviewed by E.A. Hinds, "Cavity Quantum Electrodynamics", p. 231, in *Adv. At. Mol. Opt. Phys.* **28** (1990).
- [46] Reviewed by E.A. Hinds, "Cavity Quantum Electrodynamics", p. 231, in *Adv. in Atom. Mol. Opt. Phys.* **28** (1990).
- [47] Hoffnagle, J., R.G. DeVoe, L. Reyna, and R.G. Brewer, "Order-Chaos Transition of Two Trapped Ions," *Phys. Rev. Lett.* **61**, 255 (1988).
- [48] Hulet, R.G., E.S. Hilfer and D. Kleppner, "Inhibited Spontaneous Emission by a Rydberg Atom", *Phys. Rev. Lett.* **55**, 2137 (1985).
- [49] See for example, Jackson, J.D., **Classical Electrodynamics**, 2nd ed. (Wiley, New York, 1975), pp. 353-356.

- [50] Jackson, J.D., **Classical Electrodynamics**, 2nd ed. (Wiley, New York, 1975), p. 108.
- [51] Kasevich, M., and S. Chu, "Atomic Interferometry Using Stimulated Raman Transitions," *Phys. Rev. Lett.* **67**, 181 (1991).
- [52] **Quantum Electrodynamics**, edited by T. Kinoshita (World Scientific, Singapore, 1990).
- [53] The most recent and accurate calculation is by Kinoshita, T., "Theory of the Anomalous Magnetic Moment of the Electron - Numerical Approach", in **Quantum Electrodynamics**, edited by T. Kinoshita (World Scientific, Singapore, 1990).
- [54] Kleppner, D., in **Atomic Physics and Astrophysics**, edited by M. Chretien and E. Lipworth (Gordon & Breach, NY, 1971).
- [55] Kleppner, D., "Inhibited Spontaneous Emission", *Phys. Rev. Lett.* **47**, 233 (1981).
- [56] Kreuzer, M., and K. Svozil, "QED Between Conducting Plates: Corrections to Radiative Mass and $g - 2$ ", *Phys. Rev. D* **34**, 1429 (1986).
- [57] Kreuzer, M., "Mass and Magnetic Moment of Localized Electrons Near Conductors", *J. Phys. A* **21**, 3285 (1988).
- [58] Kuramoto, Y., and I. Nishikawa, "Statistical Macrodynamics of Large Dynamical Systems. Case of a Phase Transition in Oscillator Communities," *J. Stat. Phys.* **49**, 569 (1987).
- [59] Landau, L.D., and E.M. Lifshitz, **Mechanics**, 3rd ed., (Pergamon, New York, 1976).
- [60] Lukens, J., "Josephson Arrays as High Frequency Sources", in **Superconducting Devices**, pp. 135-167, edited by S.T. Ruggiero and D.A. Rudman, (Academic Press, Boston, 1990).

- [61] Malmberg, J.H., and T.M. O'Neil, "The Pure Electron Plasma, Liquid and Crystal," *Phys. Rev. Lett.* **39**, 1333 (1977).
- [62] Matthews, P.C., and S.H. Strogatz, "Phase Diagram for the Collective Behavior of Limit-Cycle Oscillators," *Phys. Rev. Lett.* **65**, 1701 (1990).
- [63] McLachlan, N.W., **Theory and Application of Mathieu Functions**, (Clarendon Press, Oxford, 1947).
- [64] Nayfeh, N.H., and D.T. Mook, **Nonlinear Oscillations**, (Wiley, New York, 1979), pp. 338-348.
- [65] Nicolis, G., and I. Prigogine, **Self-Organization in Nonequilibrium Systems**, (John Wiley and Sons, New York, 1977).
- [66] Niebur, E., H.G. Schuster and D.M. Kammen, "Collective Frequencies and Metastability in Networks of Limit-Cycle Oscillators with Time Delay," *Phys. Rev. Lett.* **67**, 2753(1991).
- [67] O'Neil, T.M., "Cooling of a pure electron plasma by cyclotron radiation," *Phys. Fluids* **23**, 725 (1980).
- [68] O'Neil, T.M., and P.G. Hjorth, "Collisional Dynamics of a Strongly Magnetized Pure Electron Plasma," *Phys. Fluid* **28**, 3241 (1985).
- [69] See, for example, Panovsky, W., and M. Phillips, **Classical Electricity and Magnetism**, 2nd edition, (Addison-Wesley, Reading, MA., 1962) chapters 21 and 22; or J.D. Jackson, *op. cit.*, Chapter 17.
- [70] Purcell, E.M., "Spontaneous Emission Probabilities at Radio Frequencies", *Phys. Rev.* **69**, 681 (1946).
- [71] Raizen, M.G., R.J. Thompson, R.J. Brecha, H.J. Kimble, and H.J. Carmichael, "Normal-Mode Splitting and Linewidth Averaging for Two-State Atoms in an Optical Cavity," *Phys. Rev. Lett.* **63**, 240 (1989).

- [72] Rolston, S.L., and G. Gabrielse, "Cooling antiprotons in an ion trap," *Hyperfine Int.* **44**, 233 (1988).
- [73] Shockley, W., "Currents to Conductors Induced by a Moving Point Charge," *J. Appl. Phys.* **9**, 635 (1938).
- [74] Strogatz, S.H., and R.E. Mirollo, "Collective synchronization in lattices of non-linear oscillators with randomness," *J. Phys. A* **21**, L699 (1988).
- [75] Sugiura, M., and J.P. Heppner, in **American Institute of Physics Handbook**, 3rd ed., pp. 5-264 ff., McGraw-Hill, New York, 1972.
- [76] Svozil, K., "Mass and Anomalous Magnetic Moment of an Electron between Two Conducting Parallel Plates", *Phys. Rev. Lett.* **54**, 742 (1985).
- [77] Tan, J., and G. Gabrielse, "One Electron in an Orthogonalized Cylindrical Penning Trap," *Appl. Phys. Lett.* **55**, 2144 (1989).
- [78] Tan, J., and G. Gabrielse, "Synchronization of Parametrically-pumped electron oscillators with Phase Bistability," *Phys. Rev. Lett.* **67**, 3090 (1991).
- [79] Tan, J., and G. Gabrielse, "Parametrically-pumped Electron Oscillators," to be published.
- [80] Tang, A.C., "Comments on the Electron Anomalous Magnetic Moment Between Conducting Plates", *Phys. Rev. D* **36**, 2181 (1987).
- [81] Mentioned by Van der Pol, B., "Forced Oscillations in a Circuit with Non-linear Resistance," *Phil. Mag.* **3**, 65 (1927).
- [82] Van Dyck, R.S., Jr., D.J. Wineland, P.A. Ekstrom and H.G. Dehmelt, "High mass resolution with a new variable anharmonicity Penning trap," *Appl. Phys. Lett.* **28**, 446 (1976).

- [83] Van Dyck, R.S., Jr., P.B. Schwinberg, and H.G. Dehmelt, in **New Frontiers in High Energy Physics**, edited by B. Kursunoglu, A. Perlmutter, and L. Scott (Plenum, New York, 1978).
- [84] Van Dyck, R.S., Jr., P.B. Schwinberg and H.G. Dehmelt, in **Atomic Physics 9**, edited by R.S. Van Dyck, Jr. and E.N. Fortson, p.53 (World Scientific, Singapore, 1984).
- [85] Van Dyck, R.S., Jr., F.L. Moore, D.L. Farnham and P.B. Schwinberg, "New Measurement of the Proton-Electron Mass Ratio," *Int. J. Mass Spectrom. Ion Processes*, **66**, 327 (1985).
- [86] Van Dyck, R.S., Jr., F.L. Moore, D.L. Farnham, and P.B. Schwinberg, "Variable magnetic bottle for precision geonium experiments," *Rev. Sci. Instrum.* **57**, 593 (1986).
- [87] Van Dyck, R.S., Jr., F.L. Moore, D.L. Farnham, P.B. Schwinberg and H.G. Dehmelt, "Microwave-cavity Modes Directly Observed in a Penning Trap", *Phys. Rev. A* **36**, 3455 (1987).
- [88] Van Dyck, R.S., Jr., P.B. Schwinberg and H.G. Dehmelt, "New high-precision comparison of electron and positron g factors," *Phys. Rev. Lett.* **59**, 26 (1987).
- [89] Van Dyck, R.S., Jr., "Anomalous Magnetic Moment of Single Electrons and Positrons: Experiment", p. 322 in **Quantum Electrodynamics**, edited by T. Kinoshita (World Scientific, Singapore, 1990).
- [90] Reviewed by Wang, M.C.; and G.E. Uhlenbeck, "On the Theory of the Brownian Motion II", in **Selected Papers on Noise and Stochastic Processes**, edited by N. Wax (Dover, New York, 1954).
- [91] Wiesenfeld, K., and P. Hadley, "Attractor Crowding in Oscillator Arrays," *Phys. Rev. Lett* **62**, 1335 (1989).

- [92] Wineland, D.J., P. Ekstrom, and H.G. Dehmelt, "Monoelectron Oscillator," *Phys. Rev. Lett.* **31**, 1279 (1973).
- [93] Wineland, D.J., and H.G. Dehmelt, "Principles of the stored ion calorimeter," *J. Appl. Phys.* **46**, 919 (1975).
- [94] Wineland, D.J., and H. Dehmelt, "Line Shifts and Widths of Axial, Cyclotron and $g - 2$ Resonances in Tailored, Stored Electron (Ion) Cloud", *Int. J. Mass Spectrom. Ion Phys.* **16**, 338 (1975); Erratum, **19**, 251 (1975).
- [95] Wineland, D.J., J. Bergquist, W. Itano, J. Bollinger, and C. Manney, "Atomic-Ion Coulomb Clusters in an Ion Trap," *Phys. Rev. Lett.* **59**, 2935 (1987).
- [96] Yamaguchi, Y., and H. Shimizu, "Theory of self-synchronization in the presence of native frequency distribution and external noise," *Physica* **11D**, 212 (1984).
- [97] Zhu, Y., D.J. Gauthier, S.E. Morin, Qilin Wu, H.J. Carmichael, and T.W. Mossberg, "Vacuum Rabi Splitting as a Feature of Linear-Dispersion Theory: Analysis and Experimental Observations," *Phys. Rev. Lett.* **64**, 2499 (1990).
- [98] This is the definition of $(\lambda_M)^2$ used in Ref. [9]. It is smaller than the dimensionless $(\lambda_M)^2$ used in Ref. [12] by a factor $\omega_M^2 r_e / z_0$.